

Prepared for:

LEOTELE

1845 RANGE STREET, UNIT A
BOULDER, CO USA 80301

Bulk MCT Oil, LEO-M10-05

Batch ID or Lot Number: LEO-M10-05	Test: Pesticides	Reported: 04Jun2025	USDA License: NA
Matrix: Concentrate	Test ID: T000305809	Started: 03Jun2025	Sampler ID: NA
	Method(s): TM17 (LC-QQ LC MS/MS)	Received: 29May2025	Status: NA

Pesticides

Pesticides	Dynamic Range (ppb)	Result (ppb)
Abamectin	154 - 2728	ND
Acephate	51 - 2783	ND
Acetamiprid	42 - 2720	ND
Azoxystrobin	45 - 2715	ND
Bifenazate	45 - 2734	ND
Boscalid	42 - 2676	ND
Carbaryl	41 - 2745	ND
Carbofuran	44 - 2708	ND
Chlorantraniliprole	40 - 2721	ND
Chlorpyrifos	37 - 2775	ND
Clofentezine	277 - 2764	ND
Diazinon	297 - 2727	ND
Dichlorvos	295 - 2715	ND
Dimethoate	44 - 2745	ND
E-Fenpyroximate	273 - 2772	ND
Etofenprox	43 - 2742	ND
Etoxazole	284 - 2729	ND
Fenoxycarb	30 - 2745	ND
Fipronil	55 - 2634	ND
Flonicamid	46 - 2773	ND
Fludioxonil	268 - 2728	ND
Hexythiazox	40 - 2765	ND
Imazalil	283 - 2714	ND
Imidacloprid	46 - 2730	ND
Kresoxim-methyl	42 - 2727	ND

Pesticides	Dynamic Range (ppb)	Result (ppb)
Malathion	291 - 2781	ND
Metalaxyl	39 - 2717	ND
Methiocarb	44 - 2707	ND
Methomyl	43 - 2724	ND
MGK 264 1	147 - 1661	ND
MGK 264 2	108 - 1093	ND
Myclobutanil	45 - 2693	ND
Naled	48 - 2743	ND
Oxamyl	42 - 2724	ND
Paclobutrazol	45 - 2706	ND
Permethrin	295 - 2716	ND
Phosmet	47 - 2723	ND
Prophos	286 - 2708	ND
Propoxur	44 - 2716	ND
Pyridaben	283 - 2745	ND
Spinosad A	31 - 2019	ND
Spinosad D	69 - 709	ND
Spiromesifen	268 - 2742	ND
Spirotetramat	293 - 2718	ND
Spiroxamine 1	20 - 1195	ND
Spiroxamine 2	23 - 1481	ND
Tebuconazole	312 - 2717	ND
Thiacloprid	45 - 2740	ND
Thiamethoxam	43 - 2720	ND
Trifloxystrobin	45 - 2707	ND

Final Approval



Judith Marquez
04Jun2025
12:39:00 PM MDT

PREPARED BY / DATE



Sam Smith
04Jun2025
12:43:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/365d4fa5-b566-4c31-8ace-9648a88edd40>

Definitions

ND = None Detected (defined by dynamic range of the method)
Dynamic Range = Limit of Quantitation (LOQ) through Upper Limit of Method Range
ppb = Parts Per Billion

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

365d4fa5b5664c318ace9648a88edd40.1